

Is Your Part a Fourslide Part?

By: Del Williams, Fourslide Spring & Stamping Inc.

Del Williams is a technical writer based in Torrance, California.



price of \$20,000 and up as simply the cost of doing business. In a time of six-sigma quality and just-in-time delivery, they may not want a lead time of six months for involved work or laborious hand adjustment after production to get specifications right.

From precision metal stampings, flat springs and wire forms to complex forms with multiple bends, whatever its name, if a part is stamped or formed, less than 2" wide and less than 0.075" thick, it may be a fourslide part.

Since fourslide machines have cams and slides built into them, this can eliminate costly, complex tooling of progressive power press operations. With the fourslide process, precise multiple bends, twists, tapped and threaded holes, even controlled burr direction and location can be accom-

Fourslide spring and wire products include precision flat springs, metal stampings, contacts, wire forms, and more for a wide range of medical, electrical, automotive, aerospace, military, consumer and industrial applications.

Manufacturers are slashing part cost, speeding product delivery, and streamlining quality assurance with an integrated stamping and forming operation called fourslide.

Manufacturers have traditionally relied on power press machines to stamp out many of their parts in large numbers at high rates — but that may be changing as the economics of production change.

Manufacturers routinely set up complex tooling, such as timed cams and benders, to perform sophisticated work on progressive power press operations, expecting the cost would amortize over the life of the product.

In a world where the Iomega Zip Drive was a hit one day and gone the next, manufacturers might not accept a typical power press tooling



From Precision metal stampings, flat springs, wire and ribbon forms to complex forms with multiple bends, whatever its name, if a part is stamped or formed, less than 2" and less than 0.075" thick, it may be a fourslide part. Many companies are shifting some high-volume work to fourslide rather than relying on outside power press vendors or maintaining older dies in-house.

plished in multiple operations before the part is ejected. Production rates up to 15,000 pieces per hour can be achieved depending on part size and complexity. Since the process typically starts with material the width of the finished part, it usually generates less scrap, so material costs are lower as well.

When DFCI Solutions, a manufacturer of specialty fasteners and hardware, sought to expand its European market share with the launch of several new products, typical power press machinery wasn't up to the challenge.

"To get our foot in the door we needed very low prices, and to keep the business we needed very reliable product with just-in-time delivery," says John Suchopar, DFCI Solutions Plant Manager. "But power press tooling costs were exorbitant, and the lead times to construct power press dies would've taken about six months. That was unacceptable. We had to minimize upfront tooling cost especially when we weren't sure how long a particular product would last in the marketplace."

Moreover, Suchopar was looking for part production that would simplify part revision and the cost of tool maintenance. "Because customer needs and market conditions

The fourslide process also compressed production lead-time from a lengthy six months down to relatively short eight weeks. "Since fourslide reduces tooling cost and complexity, it has simplified part revision," adds Suchopar. "Because the process uses fewer moving parts than power press, there's less maintenance or downtime."

"Fourslide has plenty of speed for our needs," says Suchopar. "We'd set a deadline and would receive part shipment a few days earlier. "Recently, we've shifted five products, including clips, brackets, and a line assembly cage, from power press machinery to the fourslide process. The way things are going, we'll be shifting plenty more."

To strengthen its position with customers and boost its competitive edge, Control Products, Inc., a manufacturer of thermal and waterproof switches, aimed to streamline its quality assurance process and hold down prices despite rising material costs.

Consistent material memory was a challenge because stock had to be properly straightened from rolls so it wouldn't spring back. "Every lot of material presented a problem in consistently holding an angle or two on

production parts," explains Glenn Heimroth, Control Products Quality Assurance Manager. "The parts weren't complex, but assuring accuracy was critical."

One customer, for instance, required a switch to actuate every time a flat spring was depressed 0.5" within a certain tolerance. "If the springs were inconsistent, we had to adjust our finished goods by hand, which was time-consuming and expensive," says Heimroth.



While the fourslide part making process was previously used mostly for complex work such as that with involved forming, multiple bends, or elements beyond 90-degrees, savvy manufacturers are now choosing the process over power press to slash part cost, speed product delivery, and streamline quality assurance.

constantly change, you need a cost-effective way to revise parts and maintain tooling. Power press machinery wasn't ideal because of its high up front costs and complexity to maintain. There's a lot of moving parts that wear with expensive downtime."

Suchopar turned to Fourslide Spring and Stamping, Inc., a Bristol, Connecticut-based parts supplier specializing in the integrated stamping and forming parts operation called fourslide.

"Because the four slides move independently along two axes, they can precisely bend and form without the complex tooling required of power press machines," says Suchopar. "Combining forming with stamping in one operation, using fourslide we saved about 75 percent in tooling costs, and about 25 percent in total part costs."



Flat springs -- like clips, clasps, clamps and a wide variety of stampings -- are particularly suitable for fourslide manufacture.

example, had trouble maintaining the proper angles on latches. Thus, snapping interlocking parts together was difficult due to incorrect alignment.

In search of a solution, the company turned to the fourslide process. "We now get the parts consistently right, on time, at lower cost," says Craig Morse, Control Products' Purchasing Manager. "Rather than relying on outside power press vendors or maintaining older dies in-house, we're shifting some high-volume work to fourslide."

According to Heimroth and Morse, the vendor supplying the fourslide parts, Fourslide Spring and Stamping, Inc., helped to resolve a number of quality assurance and cost issues. Because of the increased accuracy and operational flexibility of the fourslide parts, for instance, the tooling for right and left-handed covers and brackets was combined in the same tool, effectively saving the cost of an entire tool. The process has also reduced material scrap.


"Like a lot of manufacturers, we're trying to focus on what we do best," says Morse. "For us that's manufacturing switches, not parts for them."

To further lower part cost, mitigate escalating material costs, and streamline inventory management, the vendor allowed Control Products to buy in bulk and schedule needed shipments over a two-year contract period.

"In spite of rising material costs, Fourslide Spring and Stamping, Inc. has helped us hold the line on price while improving quality and delivery," concludes Morse. "It's helped us expand our business. For anyone having trouble keeping prices down, getting consistent parts, or maintaining tooling, switching to fourslide can be cost effective. That's true whether you're dealing with involved forms or simple power press operations."

Fourslide article continued. . .

Power press equipment was proving inaccurate and costly on a number of vendor supplied parts and in-house operations. A vendor using power press equipment, for



The integration of stamping and forming operations makes the fourslide part-making process capable of cutting typical tooling costs to as little as \$3,000, halving tooling lead times, and eliminating after-production adjustment to meet specifications. Production rates up to 15,000 pieces per hour can be achieved depending on part size and complexity.

Fourslide Spring and Stamping, Inc. is an ISO 9001:2000 certified manufacturer of spring and wire products including precision flat springs, metal stampings, contacts, wire forms, and more for a wide range of medical, electrical, automotive, aerospace, military, consumer and industrial applications. To view an animated demonstration of the fourslide manufacturing process visit www.fourslide.com/fourslide-reference.htm.

***Fourslide Spring
and Stamping Inc.***

87 Cross Street, Bristol, CT 06011
phone: 800-832-6405 · fax: 860-584-5960
website: www.fourslide.com
email info@fourslide.com